

EDI – Ideal Message CH DESADV

Healthcare



Overview

Document information	
Title	Ideal Message DESADV - HEALTHCARE - Vers. 2.0.0
Last modification	December 2022
Version	2.2.0 Based on EANCOM * 2002
Publication	December 2022
Publisher	GS1 Switzerland
Image source	iStock

Disclaimer

While GS1 and all other parties involved in producing this document have made every effort to ensure the accuracy of the GS1 System standards, we state that this document is made available with no express or implied warranty for any damage or loss resulting from the use of this document. The document is in line with the state of the art and is periodically revised due to technological developments, changes to standards and new legal circumstances. Some of the products and company names mentioned in this document may be trademarks and/or registered trademarks of the relevant companies. GS1 is a registered trademark of GS1 AISBL in Brussels, Belgium.

Structure

Occurrence	Element/Attribute
	despatchAdvice
1 .. 1	xsd:sequence
1 .. 1	creationDateTime
1 .. 1	documentStatusCode
1 .. 1	xsd:sequence
1 .. 1	despatchAdviceIdentification
1 .. 1	xsd:sequence
1 .. 1	entityIdentification
0 .. 1	contentOwner
1 .. 1	xsd:sequence
1 .. 1	gln
0 .. 1	deliveryTypeCode
	<i>codeListVersion</i>
1 .. 1	receiver
1 .. 1	xsd:sequence
0 .. 1	gln
1 .. 1	shipper
1 .. 1	xsd:sequence
0 .. 1	gln
0 .. 1	buyer
1 .. 1	xsd:sequence
0 .. 1	gln
0 .. 1	seller
1 .. 1	xsd:sequence
0 .. 1	gln
1 .. 1	shipTo
1 .. 1	xsd:sequence
0 .. 1	gln
0 .. 1	inventoryLocation
1 .. 1	xsd:sequence
0 .. 1	gln
0 .. 1	shipFrom
1 .. 1	xsd:sequence
0 .. 1	gln
0 .. 1	ultimateConsignee
1 .. 1	xsd:sequence
0 .. 1	gln
1 .. 1	despatchInformation
1 .. 1	xsd:sequence
0 .. 1	estimatedDeliveryPeriod
1 .. 1	xsd:sequence
0 .. 1	beginDate
0 .. 1	beginTime
0 .. 1	endDate
0 .. 1	endTime
0 .. unbounded	despatchAdviceLogisticUnit
1 .. 1	xsd:sequence
0 .. 1	logisticUnitIdentification
1 .. 1	xsd:sequence
1 .. 1	sscc
1 .. 1	xsd:sequence
	despatchAdviceLineItem

Occurrence	Element/Attribute
0 .. unbounded	
1 .. 1	xsd:sequence
1 .. 1	lineItemNumber
1 .. 1	despatchedQuantity
	<i>measurementUnitCode</i>
	<i>codeListVersion</i>
0 .. 1	requestedQuantity
	<i>measurementUnitCode</i>
	<i>codeListVersion</i>
1 .. 1	transactionalTradeltem
1 .. 1	xsd:sequence
1 .. 1	gtin
1 .. 1	xsd:sequence
0 .. 1	tradeltemQuantity
	<i>measurementUnitCode</i>
	<i>codeListVersion</i>
0 .. 1	tradeltemDescription
required	<i>languageCode</i>
	<i>codeListVersion</i>
0 .. unbounded	transactionalItemData
1 .. 1	xsd:sequence
0 .. 1	batchNumber
0 .. 1	itemExpirationDate
0 .. unbounded	serialNumber
0 .. unbounded	serialNumberRange
1 .. 1	xsd:sequence
0 .. 1	maximumValue
0 .. 1	minimumValue
0 .. unbounded	colour
1 .. 1	xsd:sequence
0 .. 1	colourCode
required	<i>colourCodeListCode</i>
	<i>colourCodeListVersion</i>
0 .. unbounded	colourDescription
required	<i>languageCode</i>
	<i>codeListVersion</i>
0 .. unbounded	size
1 .. 1	xsd:sequence
0 .. 1	descriptiveSize
required	<i>languageCode</i>
	<i>codeListVersion</i>
0 .. 1	sizeCode
required	<i>sizeCodeListCode</i>
	<i>sizeCodeListDescription</i>
	<i>codeListVersion</i>
	<i>sizeCodeListVersion</i>
0 .. 1	deliveryNote
1 .. 1	xsd:sequence
1 .. 1	entityIdentification
0 .. 1	contentOwner
1 .. 1	xsd:sequence
1 .. 1	gln
1 .. 1	xsd:sequence
0 .. 1	creationDateTime
0 .. 1	lineItemNumber

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

Occurrence	Element/Attribute
0 .. 1	contract
1 .. 1	xsd:sequence
1 .. 1	entityIdentification
0 .. 1	contentOwner
1 .. 1	xsd:sequence
1 .. 1	gln
1 .. 1	xsd:sequence
0 .. 1	creationDateTime
0 .. 1	lineItemNumber
0 .. 1	purchaseOrder
1 .. 1	xsd:sequence
1 .. 1	entityIdentification
0 .. 1	contentOwner
1 .. 1	xsd:sequence
1 .. 1	gln
1 .. 1	xsd:sequence
0 .. 1	creationDateTime
0 .. 1	lineItemNumber

Guideline

Element/Attribute	Annotation																
despatchAdvice	<p>Occurrence 1 .. 10000 Type despatch_advice:DespatchAdviceType</p>																
<ul style="list-style-type: none"> xsd:sequence creationDateTime 	<p>Occurrence 1 .. 1 Occurrence 1 .. 1 Type xsd:dateTime Example creationDateTime</p> <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>creationDateTime</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Date and time when the document was created.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Erestellungsdatum und Zeit</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:Document.creationDateTime</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>2012-06-15T11:00:00.000</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	creationDateTime	Status	1..1	Beschr. EDI	Date and time when the document was created.	Beschr. FG BiG	Erestellungsdatum und Zeit	GDD URI	urn:gs1:gdd:bie:Document.creationDateTime	Codeliste	-	Beispiel	2012-06-15T11:00:00.000
Harmonisierung Fachgruppe BiG																	
Name Node	creationDateTime																
Status	1..1																
Beschr. EDI	Date and time when the document was created.																
Beschr. FG BiG	Erestellungsdatum und Zeit																
GDD URI	urn:gs1:gdd:bie:Document.creationDateTime																
Codeliste	-																
Beispiel	2012-06-15T11:00:00.000																
documentStatusCode	<p>Occurrence 1 .. 1 Type shared_common:DocumentStatusEnumerationType Example documentStatusCode</p> <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>documentStatusCode</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Indicates if the document is a copy or an original.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Dokument Status Code</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:Document.documentStatusCode</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>ORIGINAL</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	documentStatusCode	Status	1..1	Beschr. EDI	Indicates if the document is a copy or an original.	Beschr. FG BiG	Dokument Status Code	GDD URI	urn:gs1:gdd:bie:Document.documentStatusCode	Codeliste	-	Beispiel	ORIGINAL
Harmonisierung Fachgruppe BiG																	
Name Node	documentStatusCode																
Status	1..1																
Beschr. EDI	Indicates if the document is a copy or an original.																
Beschr. FG BiG	Dokument Status Code																
GDD URI	urn:gs1:gdd:bie:Document.documentStatusCode																
Codeliste	-																
Beispiel	ORIGINAL																
<ul style="list-style-type: none"> xsd:sequence despatchAdviceIdentification <ul style="list-style-type: none"> xsd:sequence entityIdentification 	<p>Occurrence 1 .. 1 Occurrence 1 .. 1 Type shared_common:EntityIdentificationType Occurrence 1 .. 1 Occurrence 1 .. 1 Type restriction (xsd:string) Length 1 .. 80 Example entityIdentification</p> <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>entityIdentification</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>The unique identifier of the piece of information, such as the object identifier or the document identifier</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Nummer des Lieferscheines aus ERP des Sellers.</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:EntityIdentification.entityIdentification</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>6700000065432</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	entityIdentification	Status	0..1	Beschr. EDI	The unique identifier of the piece of information, such as the object identifier or the document identifier	Beschr. FG BiG	Nummer des Lieferscheines aus ERP des Sellers.	GDD URI	urn:gs1:gdd:bie:EntityIdentification.entityIdentification	Codeliste	-	Beispiel	6700000065432
Harmonisierung Fachgruppe BiG																	
Name Node	entityIdentification																
Status	0..1																
Beschr. EDI	The unique identifier of the piece of information, such as the object identifier or the document identifier																
Beschr. FG BiG	Nummer des Lieferscheines aus ERP des Sellers.																
GDD URI	urn:gs1:gdd:bie:EntityIdentification.entityIdentification																
Codeliste	-																
Beispiel	6700000065432																
<ul style="list-style-type: none"> contentOwner <ul style="list-style-type: none"> xsd:sequence gln 	<p>Occurrence 0 .. 1 Type shared_common:PartyIdentificationType Occurrence 1 .. 1 Occurrence 1 .. 1 Type shared_common:GLNType Pattern \d{13} Example GLN</p> <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>GLN</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	GLN												
Harmonisierung Fachgruppe BiG																	
Name Node	GLN																

Element/Attribute	Annotation
-------------------	------------

Element/Attribute	Annotation																
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>The Global Location Number (GLN) is the GS1 Identification Key used to identify physical locations or parties. The key is comprised of a GS1 Company Prefix, Location Reference, and Check Digit.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>GLN des Erstellers des Dokumentes</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bdt:GLN</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>7612345670010</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Status	1..1	Beschr. EDI	The Global Location Number (GLN) is the GS1 Identification Key used to identify physical locations or parties. The key is comprised of a GS1 Company Prefix, Location Reference, and Check Digit.	Beschr. FG BiG	GLN des Erstellers des Dokumentes	GDD URI	urn:gs1:gdd:bdt:GLN	Codeliste	-	Beispiel	7612345670010		
Harmonisierung Fachgruppe BiG																	
Status	1..1																
Beschr. EDI	The Global Location Number (GLN) is the GS1 Identification Key used to identify physical locations or parties. The key is comprised of a GS1 Company Prefix, Location Reference, and Check Digit.																
Beschr. FG BiG	GLN des Erstellers des Dokumentes																
GDD URI	urn:gs1:gdd:bdt:GLN																
Codeliste	-																
Beispiel	7612345670010																
deliveryTypeCode	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>ecom_common:DeliveryTypeCodeType</td> </tr> <tr> <td>Length</td> <td>1 .. 80</td> </tr> <tr> <td>Example</td> <td>deliveryTypeCode</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	ecom_common:DeliveryTypeCodeType	Length	1 .. 80	Example	deliveryTypeCode								
Occurrence	0 .. 1																
Type	ecom_common:DeliveryTypeCodeType																
Length	1 .. 80																
Example	deliveryTypeCode																
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>deliveryTypeCode</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Code specifying the completeness of delivery compared to the order instruction.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Code, ob Teillieferung oder komplette Lieferung</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:DespatchAdvice.deliveryTypeCode</td> </tr> <tr> <td>Codeliste</td> <td>urn:gs1:gdd:cl:DeliveryTypeCode</td> </tr> <tr> <td>Beispiel</td> <td>COMPLETE_DELIVERY</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	deliveryTypeCode	Status	0..1	Beschr. EDI	Code specifying the completeness of delivery compared to the order instruction.	Beschr. FG BiG	Code, ob Teillieferung oder komplette Lieferung	GDD URI	urn:gs1:gdd:bie:DespatchAdvice.deliveryTypeCode	Codeliste	urn:gs1:gdd:cl:DeliveryTypeCode	Beispiel	COMPLETE_DELIVERY
Harmonisierung Fachgruppe BiG																	
Name Node	deliveryTypeCode																
Status	0..1																
Beschr. EDI	Code specifying the completeness of delivery compared to the order instruction.																
Beschr. FG BiG	Code, ob Teillieferung oder komplette Lieferung																
GDD URI	urn:gs1:gdd:bie:DespatchAdvice.deliveryTypeCode																
Codeliste	urn:gs1:gdd:cl:DeliveryTypeCode																
Beispiel	COMPLETE_DELIVERY																
codeListVersion	<table border="1"> <tbody> <tr> <td>Type</td> <td>restriction (xsd:string)</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> <tr> <td>Example</td> <td>codeListVersion</td> </tr> </tbody> </table>	Type	restriction (xsd:string)	Length	1 .. 35	Example	codeListVersion										
Type	restriction (xsd:string)																
Length	1 .. 35																
Example	codeListVersion																
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>codeListVersion</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Code list developed and managed by GS1</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Version der Codeliste "DeliveryTypeCode"; Aktuelle Version 1</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:cl:DeliveryTypeCode</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>1</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	codeListVersion	Status	0..1	Beschr. EDI	Code list developed and managed by GS1	Beschr. FG BiG	Version der Codeliste "DeliveryTypeCode"; Aktuelle Version 1	GDD URI	urn:gs1:gdd:cl:DeliveryTypeCode	Codeliste	-	Beispiel	1
Harmonisierung Fachgruppe BiG																	
Name Node	codeListVersion																
Status	0..1																
Beschr. EDI	Code list developed and managed by GS1																
Beschr. FG BiG	Version der Codeliste "DeliveryTypeCode"; Aktuelle Version 1																
GDD URI	urn:gs1:gdd:cl:DeliveryTypeCode																
Codeliste	-																
Beispiel	1																
receiver	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>1 .. 1</td> </tr> <tr> <td>Type</td> <td>ecom_common:TransactionalPartyType</td> </tr> </tbody> </table>	Occurrence	1 .. 1	Type	ecom_common:TransactionalPartyType												
Occurrence	1 .. 1																
Type	ecom_common:TransactionalPartyType																
xsd:sequence	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>1 .. 1</td> </tr> </tbody> </table>	Occurrence	1 .. 1														
Occurrence	1 .. 1																
gln	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>shared_common:GLNType</td> </tr> <tr> <td>Pattern</td> <td>\d{13}</td> </tr> <tr> <td>Example</td> <td>gln</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	shared_common:GLNType	Pattern	\d{13}	Example	gln								
Occurrence	0 .. 1																
Type	shared_common:GLNType																
Pattern	\d{13}																
Example	gln																
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>gln</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>A party who engages in receiving goods. In a commercial scenario this would be the customer.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>GLN des Warenempfängers</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:DespatchAdvice.receiver.TransactionalParty</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>7612345670010</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	gln	Status	0..1	Beschr. EDI	A party who engages in receiving goods. In a commercial scenario this would be the customer.	Beschr. FG BiG	GLN des Warenempfängers	GDD URI	urn:gs1:gdd:bie:DespatchAdvice.receiver.TransactionalParty	Codeliste	-	Beispiel	7612345670010
Harmonisierung Fachgruppe BiG																	
Name Node	gln																
Status	0..1																
Beschr. EDI	A party who engages in receiving goods. In a commercial scenario this would be the customer.																
Beschr. FG BiG	GLN des Warenempfängers																
GDD URI	urn:gs1:gdd:bie:DespatchAdvice.receiver.TransactionalParty																
Codeliste	-																
Beispiel	7612345670010																

Element/Attribute	Annotation
shipper	<p>Occurrence 1 .. 1 Type ecom_common:TransactionalPartyType</p>
xsd:sequence	<p>Occurrence 1 .. 1</p>
gln	<p>Occurrence 0 .. 1 Type shared_common:GLNType Pattern \d{13} Example gln</p>
Harmonisierung Fachgruppe BiG	
Name Node	gln
Status	0..1
Beschr. EDI	Identification of and additional information about a party involved in a business transaction.
Beschr. FG BiG	GLN des Versenders resp. Verkäufers. Je noch der Unternehmensstruktur des Verkäufers, kann diese GLN identisch mit der des "Seller" sein oder es kann auch die Speditionsabteilung oder ein Dritt-Logistikanbieter angegeben werden.
GDD URI	A party who engages in shipping goods. In a commercial scenario this would be the supplier.
Codeliste	-
Beispiel	7612345670010
buyer	<p>Occurrence 0 .. 1 Type ecom_common:TransactionalPartyType</p>
xsd:sequence	<p>Occurrence 1 .. 1</p>
gln	<p>Occurrence 0 .. 1 Type shared_common:GLNType Pattern \d{13} Example gln</p>
Harmonisierung Fachgruppe BiG	
Name Node	gln
Status	0..1
Beschr. EDI	Identifies the party to which products or services are sold.
Beschr. FG BiG	GLN des Käufers
GDD URI	urn:gs1:gdd:bie:DespatchAdvice.buyer.TransactionalParty
Codeliste	-
Beispiel	7612345670010
seller	<p>Occurrence 0 .. 1 Type ecom_common:TransactionalPartyType</p>
xsd:sequence	<p>Occurrence 1 .. 1</p>
gln	<p>Occurrence 0 .. 1 Type shared_common:GLNType Pattern \d{13} Example gln</p>
Harmonisierung Fachgruppe BiG	
Name Node	gln
Status	0..1
Beschr. EDI	Identifies the party which sells products or services to a buyer.
Beschr. FG BiG	GLN des Verkäufers
GDD URI	urn:gs1:gdd:bie:DespatchAdvice.seller.TransactionalParty
Codeliste	-
Beispiel	7612345670010

Element/Attribute	Annotation
shipTo	Occurrence 1 .. 1 Type ecom_common:TransactionalPartyType
xsd:sequence	Occurrence 1 .. 1
gln	Occurrence 0 .. 1 Type shared_common:GLNType Pattern \d{13} Example gln
Harmonisierung Fachgruppe BiG	
Name Node	gln
Status	0..1
Beschr. EDI	The Global Location Number (GLN) is a structured Identification of a physical location, legal or functional entity within an enterprise. The GLN is the primary party identifier. Each party identified in the trading relationship must have a primary party Identification.
Beschr. FG BiG	GLN des Verwendungsortes
GDD URI	urn:gs1:gdd:bie:TransactionalParty.gln
Codeliste	-
Beispiel	7612345670010
inventoryLocation	Occurrence 0 .. 1 Type ecom_common:TransactionalPartyType
xsd:sequence	Occurrence 1 .. 1
gln	Occurrence 0 .. 1 Type shared_common:GLNType Pattern \d{13} Example gln
Harmonisierung Fachgruppe BiG	
Name Node	gln
Status	0..1
Beschr. EDI	The Global Location Number (GLN) is a structured Identification of a physical location, legal or functional entity within an enterprise. The GLN is the primary party identifier. Each party identified in the trading relationship must have a primary party Identification.
Beschr. FG BiG	GLN des empfangenden Lagers. Hier kann ein Differenzierung über anzuliefernde Laderampe, Zentral- oder Konsignationslager etc. erfasst werden.
GDD URI	urn:gs1:gdd:bie:TransactionalParty.gln
Codeliste	-
Beispiel	7612345670010
shipFrom	Occurrence 0 .. 1 Type ecom_common:TransactionalPartyType
xsd:sequence	Occurrence 1 .. 1
gln	Occurrence 0 .. 1 Type shared_common:GLNType Pattern \d{13} Example gln
Harmonisierung Fachgruppe BiG	
Name Node	gln
Status	0..1
Beschr. EDI	The Global Location Number (GLN) is a structured Identification of a physical location, legal or functional entity within an enterprise. The GLN is the primary party identifier. Each party identified in

Element/Attribute	Annotation
-------------------	------------

ultimateConsignee													
xsd:sequence													
gln	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td></td> <td>the trading relationship must have a primary party Identification.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>GLN des Warenversenders</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:TransactionalParty.gln</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>7612345670010</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG			the trading relationship must have a primary party Identification.	Beschr. FG BiG	GLN des Warenversenders	GDD URI	urn:gs1:gdd:bie:TransactionalParty.gln	Codeliste	-	Beispiel	7612345670010
Harmonisierung Fachgruppe BiG													
	the trading relationship must have a primary party Identification.												
Beschr. FG BiG	GLN des Warenversenders												
GDD URI	urn:gs1:gdd:bie:TransactionalParty.gln												
Codeliste	-												
Beispiel	7612345670010												
	Occurrence 0 .. 1												
	Type ecom_common:TransactionalPartyType												
	Occurrence 1 .. 1												
	Occurrence 0 .. 1												
	Type shared_common:GLNType												
	Pattern \d{13}												
	Example gln												

despatchInformation																	
xsd:sequence																	
estimatedDeliveryPeriod	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>gln</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>The Global Location Number (GLN) is a structured Identification of a physical location, legal or functional entity within an enterprise. The GLN is the primary party identifier. Each party identified in the trading relationship must have a primary party Identification.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>GLN des Endempfängers. Hier kann eine feinere Unterteilung für den Endempfänger vorgenommen werden. So kann z.B. bei einem Durchlaufartikel der Empfänger erfasst werden, damit diese durch die interne Spitallogistik schneller und einfacher weitergeleitet werden.</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:TransactionalParty.gln</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>7612345670010</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	gln	Status	0..1	Beschr. EDI	The Global Location Number (GLN) is a structured Identification of a physical location, legal or functional entity within an enterprise. The GLN is the primary party identifier. Each party identified in the trading relationship must have a primary party Identification.	Beschr. FG BiG	GLN des Endempfängers. Hier kann eine feinere Unterteilung für den Endempfänger vorgenommen werden. So kann z.B. bei einem Durchlaufartikel der Empfänger erfasst werden, damit diese durch die interne Spitallogistik schneller und einfacher weitergeleitet werden.	GDD URI	urn:gs1:gdd:bie:TransactionalParty.gln	Codeliste	-	Beispiel	7612345670010
Harmonisierung Fachgruppe BiG																	
Name Node	gln																
Status	0..1																
Beschr. EDI	The Global Location Number (GLN) is a structured Identification of a physical location, legal or functional entity within an enterprise. The GLN is the primary party identifier. Each party identified in the trading relationship must have a primary party Identification.																
Beschr. FG BiG	GLN des Endempfängers. Hier kann eine feinere Unterteilung für den Endempfänger vorgenommen werden. So kann z.B. bei einem Durchlaufartikel der Empfänger erfasst werden, damit diese durch die interne Spitallogistik schneller und einfacher weitergeleitet werden.																
GDD URI	urn:gs1:gdd:bie:TransactionalParty.gln																
Codeliste	-																
Beispiel	7612345670010																
	Occurrence 1 .. 1																
	Type ecom_common:DespatchInformationType																
	Occurrence 1 .. 1																
	Occurrence 0 .. 1																
	Type shared_common:DateTimeRangeType																
	Occurrence 1 .. 1																
	Occurrence 0 .. 1																
	Type xsd:date																
	Example beginDate																

beginDate	
	Occurrence 1 .. 1
	Type shared_common:DateTimeRangeType
	Occurrence 1 .. 1
	Occurrence 0 .. 1
	Type xsd:date
	Example beginDate

beginTime	
	Occurrence 1 .. 1
	Type ecom_common:DespatchInformationType
	Occurrence 1 .. 1
	Occurrence 0 .. 1
	Type shared_common:DateTimeRangeType
	Occurrence 1 .. 1
	Occurrence 0 .. 1
	Type xsd:date
	Example beginDate

beginDate	
	Occurrence 1 .. 1
	Type shared_common:DateTimeRangeType
	Occurrence 1 .. 1
	Occurrence 0 .. 1
	Type xsd:date
	Example beginDate

beginTime	
	Occurrence 0 .. 1
	Type xsd:time
	Example beginTime

Element/Attribute	Annotation
-------------------	------------

Harmonisierung Fachgruppe BiG	
Status	0..1
Beschr. EDI	Time specifying the start time for the date time range.
Beschr. FG BiG	Beginn des Zeitfensters
GDD URI	urn:gs1:gdd:bie:DateTimeRange.beginTime
Codeliste	-
Beispiel	08:00

endDate	Occurrence 0 .. 1 Type xsd:date Example endDate
----------------	---

Harmonisierung Fachgruppe BiG	
Name Node	endDate
Status	0..1
Beschr. EDI	Date specifying the last day for the date time range.
Beschr. FG BiG	Letzter Tag des Zeitfensters zur Lieferung
GDD URI	urn:gs1:gdd:bie:DateTimeRange.endDate
Codeliste	-
Beispiel	2014-08-03

endTime	Occurrence 0 .. 1 Type xsd:time Example endTime
----------------	---

Harmonisierung Fachgruppe BiG	
Name Node	endTime
Status	0..1
Beschr. EDI	Time specifying the end time for the date time range.
Beschr. FG BiG	Ende des Zeitfensters
GDD URI	urn:gs1:gdd:bie:DateTimeRange.endTime
Codeliste	-
Beispiel	17:00

despatchAdviceLogisticUnit	Occurrence 0 .. unbounded Type despatch_advice:DespatchAdviceLogisticUnitType
xsd:sequence	Occurrence 1 .. 1
logisticUnitIdentification	Occurrence 0 .. 1 Type shared_common:LogisticUnitIdentificationType
xsd:sequence	Occurrence 1 .. 1
sscc	Occurrence 1 .. 1 Type shared_common:SSCCType Pattern \d{18} Example ssc






Harmonisierung Fachgruppe BiG	
Name Node	sscc
Status	1..1
Beschr. EDI	Serial Shipping Container Code (SSCC), the GS1 key used for the identification of logistic units.
Beschr. FG BiG	SSCC - 18-stelliger Code zur Identifikation der logistischen Einheit.
GDD URI	urn:gs1:gdd:bie:LogisticUnitIdentification.ssc
Codeliste	-

xsd:sequence	Occurrence 1 .. 1
despatchAdviceLineItem	Occurrence 0 .. unbounded Type despatch_advice:DespatchAdviceLineItemType
xsd:sequence	Occurrence 1 .. 1

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation																
lineltemNumber	<p>Occurrence 1 .. 1 Type xsd:positiveInteger FractionDigits 0 Inclusive 1 .. Example lineltemNumber</p> <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>lineltemNumber</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Provides the line number associated to the Despatch Advice Line Item.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Zeilennummer</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:DespatchAdviceLineItem.lineltemNumber</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>1</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	lineltemNumber	Status	1..1	Beschr. EDI	Provides the line number associated to the Despatch Advice Line Item.	Beschr. FG BiG	Zeilennummer	GDD URI	urn:gs1:gdd:bie:DespatchAdviceLineItem.lineltemNumber	Codeliste	-	Beispiel	1
Harmonisierung Fachgruppe BiG																	
Name Node	lineltemNumber																
Status	1..1																
Beschr. EDI	Provides the line number associated to the Despatch Advice Line Item.																
Beschr. FG BiG	Zeilennummer																
GDD URI	urn:gs1:gdd:bie:DespatchAdviceLineItem.lineltemNumber																
Codeliste	-																
Beispiel	1																
despatchedQuantity	<p>Occurrence 1 .. 1 Type shared_common:QuantityType Example despatchedQuantity</p> <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>despatchedQuantity</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>The number of units shipped of the order unit or associated item. The unit of measure for the quantity is assumed to be the same as for the associated item. Thus the quantity must be specified in the same unit of measure as the item, e.g. case, each, etc...</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Liefermenge</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:DespatchAdviceLineItem.despatchedQuantity</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>100</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	despatchedQuantity	Status	1..1	Beschr. EDI	The number of units shipped of the order unit or associated item. The unit of measure for the quantity is assumed to be the same as for the associated item. Thus the quantity must be specified in the same unit of measure as the item, e.g. case, each, etc...	Beschr. FG BiG	Liefermenge	GDD URI	urn:gs1:gdd:bie:DespatchAdviceLineItem.despatchedQuantity	Codeliste	-	Beispiel	100
Harmonisierung Fachgruppe BiG																	
Name Node	despatchedQuantity																
Status	1..1																
Beschr. EDI	The number of units shipped of the order unit or associated item. The unit of measure for the quantity is assumed to be the same as for the associated item. Thus the quantity must be specified in the same unit of measure as the item, e.g. case, each, etc...																
Beschr. FG BiG	Liefermenge																
GDD URI	urn:gs1:gdd:bie:DespatchAdviceLineItem.despatchedQuantity																
Codeliste	-																
Beispiel	100																
<i>measurementUnitCode</i>	<p>Type restriction (xsd:string) Length 1 .. 80 Example measurementUnitCode</p> <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>measurementUnitCode</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Any standardized, reproducible unit that can be used to measure any physical property.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Wert für Menge aus der Codeliste "MeasurementUnitCode"</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bdt:Quantity.measurementUnitCode</td> </tr> <tr> <td>Codeliste</td> <td>urn:gs1:gdd:d:MeasurementUnitCode</td> </tr> <tr> <td>Beispiel</td> <td>H87</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	measurementUnitCode	Status	0..1	Beschr. EDI	Any standardized, reproducible unit that can be used to measure any physical property.	Beschr. FG BiG	Wert für Menge aus der Codeliste "MeasurementUnitCode"	GDD URI	urn:gs1:gdd:bdt:Quantity.measurementUnitCode	Codeliste	urn:gs1:gdd:d:MeasurementUnitCode	Beispiel	H87
Harmonisierung Fachgruppe BiG																	
Name Node	measurementUnitCode																
Status	0..1																
Beschr. EDI	Any standardized, reproducible unit that can be used to measure any physical property.																
Beschr. FG BiG	Wert für Menge aus der Codeliste "MeasurementUnitCode"																
GDD URI	urn:gs1:gdd:bdt:Quantity.measurementUnitCode																
Codeliste	urn:gs1:gdd:d:MeasurementUnitCode																
Beispiel	H87																
<i>codeListVersion</i>	<p>Type restriction (xsd:string) Length 1 .. 35 Example codeListVersion</p> <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>codeListVersion</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>The snapshot of the code list at a certain point in time.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Version der Codeliste</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bdt:Quantity.codeListVersion</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	codeListVersion	Status	0..1	Beschr. EDI	The snapshot of the code list at a certain point in time.	Beschr. FG BiG	Version der Codeliste	GDD URI	urn:gs1:gdd:bdt:Quantity.codeListVersion				
Harmonisierung Fachgruppe BiG																	
Name Node	codeListVersion																
Status	0..1																
Beschr. EDI	The snapshot of the code list at a certain point in time.																
Beschr. FG BiG	Version der Codeliste																
GDD URI	urn:gs1:gdd:bdt:Quantity.codeListVersion																

Element/Attribute	Annotation																
requestedQuantity	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>12</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Codeliste	-	Beispiel	12										
	Harmonisierung Fachgruppe BiG																
Codeliste	-																
Beispiel	12																
	Occurrence 0 .. 1 Type shared_common:QuantityType Example requestedQuantity																
measurementUnitCode	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>requestedQuantity</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>The quantity that was ordered or planned to be delivered</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Bestellte Menge</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:DespatchAdviceLineItem. requestedQuantity</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>120</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	requestedQuantity	Status	0..1	Beschr. EDI	The quantity that was ordered or planned to be delivered	Beschr. FG BiG	Bestellte Menge	GDD URI	urn:gs1:gdd:bie:DespatchAdviceLineItem. requestedQuantity	Codeliste	-	Beispiel	120
	Harmonisierung Fachgruppe BiG																
Name Node	requestedQuantity																
Status	0..1																
Beschr. EDI	The quantity that was ordered or planned to be delivered																
Beschr. FG BiG	Bestellte Menge																
GDD URI	urn:gs1:gdd:bie:DespatchAdviceLineItem. requestedQuantity																
Codeliste	-																
Beispiel	120																
	Type restriction (xsd:string) Length 1 .. 80 Example measurementUnitCode																
codeListVersion	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>measurementUnitCode</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Any standardized, reproducible unit that can be used to measure any physical property.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Wert für Menge aus der Codeliste "MeasurementUnitCode"</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bd:Quantity_measurementUnitCode</td> </tr> <tr> <td>Codeliste</td> <td>urn:gs1:gdd:cl:MeasurementUnitCode</td> </tr> <tr> <td>Beispiel</td> <td>H87</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	measurementUnitCode	Status	0..1	Beschr. EDI	Any standardized, reproducible unit that can be used to measure any physical property.	Beschr. FG BiG	Wert für Menge aus der Codeliste "MeasurementUnitCode"	GDD URI	urn:gs1:gdd:bd:Quantity_measurementUnitCode	Codeliste	urn:gs1:gdd:cl:MeasurementUnitCode	Beispiel	H87
	Harmonisierung Fachgruppe BiG																
Name Node	measurementUnitCode																
Status	0..1																
Beschr. EDI	Any standardized, reproducible unit that can be used to measure any physical property.																
Beschr. FG BiG	Wert für Menge aus der Codeliste "MeasurementUnitCode"																
GDD URI	urn:gs1:gdd:bd:Quantity_measurementUnitCode																
Codeliste	urn:gs1:gdd:cl:MeasurementUnitCode																
Beispiel	H87																
	Type restriction (xsd:string) Length 1 .. 35 Example codeListVersion																
transactionalTradeltem	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>codeListVersion</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>The snapshot of the code list at a certain point in time.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Version der Codeliste</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bd:Quantity_codeListVersion</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>12</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	codeListVersion	Status	0..1	Beschr. EDI	The snapshot of the code list at a certain point in time.	Beschr. FG BiG	Version der Codeliste	GDD URI	urn:gs1:gdd:bd:Quantity_codeListVersion	Codeliste	-	Beispiel	12
	Harmonisierung Fachgruppe BiG																
Name Node	codeListVersion																
Status	0..1																
Beschr. EDI	The snapshot of the code list at a certain point in time.																
Beschr. FG BiG	Version der Codeliste																
GDD URI	urn:gs1:gdd:bd:Quantity_codeListVersion																
Codeliste	-																
Beispiel	12																
	Occurrence 1 .. 1 Type ecom_common:TransactionalTradeltemType																
<i>xsd:sequence</i>																	
gtin	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>gtin</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Global Trade Item Number (GTIN), the GS1 key used for the identification of trade items.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>GTIN des Produktes</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	gtin	Status	1..1	Beschr. EDI	Global Trade Item Number (GTIN), the GS1 key used for the identification of trade items.	Beschr. FG BiG	GTIN des Produktes						
Harmonisierung Fachgruppe BiG																	
Name Node	gtin																
Status	1..1																
Beschr. EDI	Global Trade Item Number (GTIN), the GS1 key used for the identification of trade items.																
Beschr. FG BiG	GTIN des Produktes																
	Occurrence 1 .. 1 Type shared_common:GTINType Pattern \d{14} Example gtin																
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>gtin</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Global Trade Item Number (GTIN), the GS1 key used for the identification of trade items.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>GTIN des Produktes</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	gtin	Status	1..1	Beschr. EDI	Global Trade Item Number (GTIN), the GS1 key used for the identification of trade items.	Beschr. FG BiG	GTIN des Produktes						
Harmonisierung Fachgruppe BiG																	
Name Node	gtin																
Status	1..1																
Beschr. EDI	Global Trade Item Number (GTIN), the GS1 key used for the identification of trade items.																
Beschr. FG BiG	GTIN des Produktes																

Element/Attribute	Annotation																								
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:TradeItemIdentification.gtin</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>07612345000121</td> </tr> <tr> <td>Occurrence</td> <td>1 .. 1</td> </tr> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>shared_common:QuantityType</td> </tr> <tr> <td>Example</td> <td>tradeItemQuantity</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		GDD URI	urn:gs1:gdd:bie:TradeItemIdentification.gtin	Codeliste	-	Beispiel	07612345000121	Occurrence	1 .. 1	Occurrence	0 .. 1	Type	shared_common:QuantityType	Example	tradeItemQuantity								
	Harmonisierung Fachgruppe BiG																								
GDD URI	urn:gs1:gdd:bie:TradeItemIdentification.gtin																								
Codeliste	-																								
Beispiel	07612345000121																								
Occurrence	1 .. 1																								
Occurrence	0 .. 1																								
Type	shared_common:QuantityType																								
Example	tradeItemQuantity																								
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>tradeItemQuantity</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Specification of the number of units of the trade item. To be applied when no other quantity information, such as the requested quantity or the billed quantity, is present.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Liefermenge</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:TransactionalTradeItem.tradeItemQuantity</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>100</td> </tr> <tr> <td>Type</td> <td>restriction (xsd:string)</td> </tr> <tr> <td>Length</td> <td>1 .. 80</td> </tr> <tr> <td>Example</td> <td>measurementUnitCode</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	tradeItemQuantity	Status	0..1	Beschr. EDI	Specification of the number of units of the trade item. To be applied when no other quantity information, such as the requested quantity or the billed quantity, is present.	Beschr. FG BiG	Liefermenge	GDD URI	urn:gs1:gdd:bie:TransactionalTradeItem.tradeItemQuantity	Codeliste	-	Beispiel	100	Type	restriction (xsd:string)	Length	1 .. 80	Example	measurementUnitCode		
	Harmonisierung Fachgruppe BiG																								
Name Node	tradeItemQuantity																								
Status	0..1																								
Beschr. EDI	Specification of the number of units of the trade item. To be applied when no other quantity information, such as the requested quantity or the billed quantity, is present.																								
Beschr. FG BiG	Liefermenge																								
GDD URI	urn:gs1:gdd:bie:TransactionalTradeItem.tradeItemQuantity																								
Codeliste	-																								
Beispiel	100																								
Type	restriction (xsd:string)																								
Length	1 .. 80																								
Example	measurementUnitCode																								
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>measurementUnitCode</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Any standardized, reproducible unit that can be used to measure any physical property.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Mengeneinheiten aus der Codeliste "MeasurementUnitCode"</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bdt:Quantity.measurementUnitCode</td> </tr> <tr> <td>Codeliste</td> <td>urn:gs1:gdd:cl:MeasurementUnitCode</td> </tr> <tr> <td>Beispiel</td> <td>H87</td> </tr> <tr> <td>Type</td> <td>restriction (xsd:string)</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> <tr> <td>Example</td> <td>codeListVersion</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	measurementUnitCode	Status	0..1	Beschr. EDI	Any standardized, reproducible unit that can be used to measure any physical property.	Beschr. FG BiG	Mengeneinheiten aus der Codeliste "MeasurementUnitCode"	GDD URI	urn:gs1:gdd:bdt:Quantity.measurementUnitCode	Codeliste	urn:gs1:gdd:cl:MeasurementUnitCode	Beispiel	H87	Type	restriction (xsd:string)	Length	1 .. 35	Example	codeListVersion		
	Harmonisierung Fachgruppe BiG																								
Name Node	measurementUnitCode																								
Status	0..1																								
Beschr. EDI	Any standardized, reproducible unit that can be used to measure any physical property.																								
Beschr. FG BiG	Mengeneinheiten aus der Codeliste "MeasurementUnitCode"																								
GDD URI	urn:gs1:gdd:bdt:Quantity.measurementUnitCode																								
Codeliste	urn:gs1:gdd:cl:MeasurementUnitCode																								
Beispiel	H87																								
Type	restriction (xsd:string)																								
Length	1 .. 35																								
Example	codeListVersion																								
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>codeListVersion</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>The snapshot of the code list at a certain point in time.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Version der Codeliste</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bdt:Quantity.codeListVersion</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>12</td> </tr> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>shared_common:Description200Type</td> </tr> <tr> <td>Length</td> <td>1 .. 200</td> </tr> <tr> <td>Example</td> <td>tradeItemDescription</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	codeListVersion	Status	0..1	Beschr. EDI	The snapshot of the code list at a certain point in time.	Beschr. FG BiG	Version der Codeliste	GDD URI	urn:gs1:gdd:bdt:Quantity.codeListVersion	Codeliste	-	Beispiel	12	Occurrence	0 .. 1	Type	shared_common:Description200Type	Length	1 .. 200	Example	tradeItemDescription
	Harmonisierung Fachgruppe BiG																								
Name Node	codeListVersion																								
Status	0..1																								
Beschr. EDI	The snapshot of the code list at a certain point in time.																								
Beschr. FG BiG	Version der Codeliste																								
GDD URI	urn:gs1:gdd:bdt:Quantity.codeListVersion																								
Codeliste	-																								
Beispiel	12																								
Occurrence	0 .. 1																								
Type	shared_common:Description200Type																								
Length	1 .. 200																								
Example	tradeItemDescription																								
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>tradeItemDescription</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Textual description of the trade item.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Artikelbeschreibung</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	tradeItemDescription	Status	0..1	Beschr. EDI	Textual description of the trade item.	Beschr. FG BiG	Artikelbeschreibung														
	Harmonisierung Fachgruppe BiG																								
Name Node	tradeItemDescription																								
Status	0..1																								
Beschr. EDI	Textual description of the trade item.																								
Beschr. FG BiG	Artikelbeschreibung																								






Element/Attribute	Annotation																						
languageCode	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:TransactionalTradeltem.tradeltemDescription</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>Vasofix Venenkanüle 18G, 3"</td> </tr> <tr> <td>Type</td> <td>restriction (xsd:string)</td> </tr> <tr> <td>Length</td> <td>1 .. 80</td> </tr> <tr> <td>Use</td> <td>required</td> </tr> <tr> <td>Example</td> <td>languageCode</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		GDD URI	urn:gs1:gdd:bie:TransactionalTradeltem.tradeltemDescription	Codeliste	-	Beispiel	Vasofix Venenkanüle 18G, 3"	Type	restriction (xsd:string)	Length	1 .. 80	Use	required	Example	languageCode						
	Harmonisierung Fachgruppe BiG																						
GDD URI	urn:gs1:gdd:bie:TransactionalTradeltem.tradeltemDescription																						
Codeliste	-																						
Beispiel	Vasofix Venenkanüle 18G, 3"																						
Type	restriction (xsd:string)																						
Length	1 .. 80																						
Use	required																						
Example	languageCode																						
<i>codeListVersion</i>	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>languageCode</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>A code representing the language used in the description.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Sprachecode aus der Codeliste "LanguageCode"</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bdt:Description200.languageCode</td> </tr> <tr> <td>Codeliste</td> <td>urn:gs1:gdd:cl:LanguageCode</td> </tr> <tr> <td>Beispiel</td> <td>DE</td> </tr> <tr> <td>Type</td> <td>restriction (xsd:string)</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> <tr> <td>Example</td> <td>codeListVersion</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	languageCode	Status	1..1	Beschr. EDI	A code representing the language used in the description.	Beschr. FG BiG	Sprachecode aus der Codeliste "LanguageCode"	GDD URI	urn:gs1:gdd:bdt:Description200.languageCode	Codeliste	urn:gs1:gdd:cl:LanguageCode	Beispiel	DE	Type	restriction (xsd:string)	Length	1 .. 35	Example	codeListVersion
	Harmonisierung Fachgruppe BiG																						
Name Node	languageCode																						
Status	1..1																						
Beschr. EDI	A code representing the language used in the description.																						
Beschr. FG BiG	Sprachecode aus der Codeliste "LanguageCode"																						
GDD URI	urn:gs1:gdd:bdt:Description200.languageCode																						
Codeliste	urn:gs1:gdd:cl:LanguageCode																						
Beispiel	DE																						
Type	restriction (xsd:string)																						
Length	1 .. 35																						
Example	codeListVersion																						
transactionalItemData	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>codeListVersion</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>The snapshot of the code list at a certain point in time.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Version der ISO 639-1 Liste; Aktuelle Version 2002</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bdt:Description200.codeListVersion</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>2002</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	codeListVersion	Status	0..1	Beschr. EDI	The snapshot of the code list at a certain point in time.	Beschr. FG BiG	Version der ISO 639-1 Liste; Aktuelle Version 2002	GDD URI	urn:gs1:gdd:bdt:Description200.codeListVersion	Codeliste	-	Beispiel	2002						
	Harmonisierung Fachgruppe BiG																						
Name Node	codeListVersion																						
Status	0..1																						
Beschr. EDI	The snapshot of the code list at a certain point in time.																						
Beschr. FG BiG	Version der ISO 639-1 Liste; Aktuelle Version 2002																						
GDD URI	urn:gs1:gdd:bdt:Description200.codeListVersion																						
Codeliste	-																						
Beispiel	2002																						
<i>xsd:sequence</i> batchNumber	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. unbounded</td> </tr> <tr> <td>Type</td> <td>ecom_common:TransactionalItemDataType</td> </tr> <tr> <td>Occurrence</td> <td>1 .. 1</td> </tr> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>restriction (xsd:string)</td> </tr> <tr> <td>Length</td> <td>1 .. 80</td> </tr> <tr> <td>Example</td> <td>lotNumber</td> </tr> </tbody> </table>	Occurrence	0 .. unbounded	Type	ecom_common:TransactionalItemDataType	Occurrence	1 .. 1	Occurrence	0 .. 1	Type	restriction (xsd:string)	Length	1 .. 80	Example	lotNumber								
Occurrence	0 .. unbounded																						
Type	ecom_common:TransactionalItemDataType																						
Occurrence	1 .. 1																						
Occurrence	0 .. 1																						
Type	restriction (xsd:string)																						
Length	1 .. 80																						
Example	lotNumber																						
itemExpirationDate	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>lotNumber</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>A distinctive combination of numbers and/or letters from which the complete history of the manufacture, processing, packaging, coding and distribution of a batch can be determined.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Lot/Batch-Nummer des Produktes</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:TransactionalItemData.lotNumber</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>H-438</td> </tr> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>xsd:date</td> </tr> <tr> <td>Example</td> <td>itemExpirationDate</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	lotNumber	Status	0..1	Beschr. EDI	A distinctive combination of numbers and/or letters from which the complete history of the manufacture, processing, packaging, coding and distribution of a batch can be determined.	Beschr. FG BiG	Lot/Batch-Nummer des Produktes	GDD URI	urn:gs1:gdd:bie:TransactionalItemData.lotNumber	Codeliste	-	Beispiel	H-438	Occurrence	0 .. 1	Type	xsd:date	Example	itemExpirationDate
	Harmonisierung Fachgruppe BiG																						
Name Node	lotNumber																						
Status	0..1																						
Beschr. EDI	A distinctive combination of numbers and/or letters from which the complete history of the manufacture, processing, packaging, coding and distribution of a batch can be determined.																						
Beschr. FG BiG	Lot/Batch-Nummer des Produktes																						
GDD URI	urn:gs1:gdd:bie:TransactionalItemData.lotNumber																						
Codeliste	-																						
Beispiel	H-438																						
Occurrence	0 .. 1																						
Type	xsd:date																						
Example	itemExpirationDate																						
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>itemExpirationDate</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	itemExpirationDate																		
Harmonisierung Fachgruppe BiG																							
Name Node	itemExpirationDate																						

Element/Attribute	Annotation
-------------------	------------

Element/Attribute	Annotation																						
serialNumber	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>The date after which the product should not be used or consumed. Its meaning is determined based on the trade item context (e.g., for food, the date will indicate the possibility of a direct health risk resulting from use of the product after the date, for pharmaceutical products, it will indicate the possibility of an indirect health risk resulting from the ineffectiveness of the product after the date). It is often referred to as "use by date" or "maximum durability date."</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Verfalldatum des Produktes</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:TransactionalltemData.itemExpirationDate</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>2018-07-30</td> </tr> <tr> <td>Occurence</td> <td>0 .. unbounded</td> </tr> <tr> <td>Type</td> <td>restriction (xsd:string)</td> </tr> <tr> <td>Length</td> <td>1 .. 20</td> </tr> <tr> <td>Example</td> <td>serialNumber</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Status	0..1	Beschr. EDI	The date after which the product should not be used or consumed. Its meaning is determined based on the trade item context (e.g., for food, the date will indicate the possibility of a direct health risk resulting from use of the product after the date, for pharmaceutical products, it will indicate the possibility of an indirect health risk resulting from the ineffectiveness of the product after the date). It is often referred to as "use by date" or "maximum durability date."	Beschr. FG BiG	Verfalldatum des Produktes	GDD URI	urn:gs1:gdd:bie:TransactionalltemData.itemExpirationDate	Codeliste	-	Beispiel	2018-07-30	Occurence	0 .. unbounded	Type	restriction (xsd:string)	Length	1 .. 20	Example	serialNumber
Harmonisierung Fachgruppe BiG																							
Status	0..1																						
Beschr. EDI	The date after which the product should not be used or consumed. Its meaning is determined based on the trade item context (e.g., for food, the date will indicate the possibility of a direct health risk resulting from use of the product after the date, for pharmaceutical products, it will indicate the possibility of an indirect health risk resulting from the ineffectiveness of the product after the date). It is often referred to as "use by date" or "maximum durability date."																						
Beschr. FG BiG	Verfalldatum des Produktes																						
GDD URI	urn:gs1:gdd:bie:TransactionalltemData.itemExpirationDate																						
Codeliste	-																						
Beispiel	2018-07-30																						
Occurence	0 .. unbounded																						
Type	restriction (xsd:string)																						
Length	1 .. 20																						
Example	serialNumber																						
serialNumberRange	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>serialNumber</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>A unique identifier assigned to a specific trade item.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Seriennummer des Produktes</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:TransactionalltemData.serialNumber</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>558899786</td> </tr> <tr> <td>Occurence</td> <td>0 .. unbounded</td> </tr> <tr> <td>Type</td> <td>shared_common:StringRangeType</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	serialNumber	Status	0..1	Beschr. EDI	A unique identifier assigned to a specific trade item.	Beschr. FG BiG	Seriennummer des Produktes	GDD URI	urn:gs1:gdd:bie:TransactionalltemData.serialNumber	Codeliste	-	Beispiel	558899786	Occurence	0 .. unbounded	Type	shared_common:StringRangeType		
Harmonisierung Fachgruppe BiG																							
Name Node	serialNumber																						
Status	0..1																						
Beschr. EDI	A unique identifier assigned to a specific trade item.																						
Beschr. FG BiG	Seriennummer des Produktes																						
GDD URI	urn:gs1:gdd:bie:TransactionalltemData.serialNumber																						
Codeliste	-																						
Beispiel	558899786																						
Occurence	0 .. unbounded																						
Type	shared_common:StringRangeType																						
<i>xsd:sequence</i>																							
maximumValue	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Status</td> <td>1 .. 1</td> </tr> <tr> <td>Occurence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>xsd:string</td> </tr> <tr> <td>Example</td> <td>maximumValue</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Status	1 .. 1	Occurence	0 .. 1	Type	xsd:string	Example	maximumValue												
Harmonisierung Fachgruppe BiG																							
Status	1 .. 1																						
Occurence	0 .. 1																						
Type	xsd:string																						
Example	maximumValue																						
minimumValue	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>maximumValue</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Specifies the lower limit of the string range</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Höchste Nummer aus einem zusammenhängenden Bereich von Seriennummern</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:StringRange.minimumValue</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>558877</td> </tr> <tr> <td>Occurence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>xsd:string</td> </tr> <tr> <td>Example</td> <td>minimumValue</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	maximumValue	Status	0..1	Beschr. EDI	Specifies the lower limit of the string range	Beschr. FG BiG	Höchste Nummer aus einem zusammenhängenden Bereich von Seriennummern	GDD URI	urn:gs1:gdd:bie:StringRange.minimumValue	Codeliste	-	Beispiel	558877	Occurence	0 .. 1	Type	xsd:string	Example	minimumValue
Harmonisierung Fachgruppe BiG																							
Name Node	maximumValue																						
Status	0..1																						
Beschr. EDI	Specifies the lower limit of the string range																						
Beschr. FG BiG	Höchste Nummer aus einem zusammenhängenden Bereich von Seriennummern																						
GDD URI	urn:gs1:gdd:bie:StringRange.minimumValue																						
Codeliste	-																						
Beispiel	558877																						
Occurence	0 .. 1																						
Type	xsd:string																						
Example	minimumValue																						
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>minimumValue</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Specifies the upper limit of the string range.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Tiefste Nummer aus einem zusammenhängenden</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	minimumValue	Status	0..1	Beschr. EDI	Specifies the upper limit of the string range.	Beschr. FG BiG	Tiefste Nummer aus einem zusammenhängenden												
Harmonisierung Fachgruppe BiG																							
Name Node	minimumValue																						
Status	0..1																						
Beschr. EDI	Specifies the upper limit of the string range.																						
Beschr. FG BiG	Tiefste Nummer aus einem zusammenhängenden																						

Bold = Element, *Italic* = Attribute, Grey = Group

Element/Attribute	Annotation
-------------------	------------

 <p>colour</p> <p>xsd:sequence</p> <p>colourCode</p> <p><i>colourCodeListCode</i></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="background-color: #e0e0e0;">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td></td> <td>Bereich von Seriennummern</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:StringRange.maximumValue</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>558866</td> </tr> <tr> <td>Occurrence</td> <td>0 .. unbounded</td> </tr> <tr> <td>Type</td> <td>shared_common:ColourType</td> </tr> <tr> <td>Occurrence</td> <td>1 .. 1</td> </tr> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>shared_common:ColourCodeType</td> </tr> <tr> <td>Length</td> <td>1 .. 80</td> </tr> <tr> <td>Type</td> <td>restriction (xsd:string)</td> </tr> <tr> <td>Length</td> <td>1 .. 80</td> </tr> <tr> <td>Use</td> <td>required</td> </tr> <tr> <td>Example</td> <td>colourCodeListCode</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG			Bereich von Seriennummern	GDD URI	urn:gs1:gdd:bie:StringRange.maximumValue	Codeliste	-	Beispiel	558866	Occurrence	0 .. unbounded	Type	shared_common:ColourType	Occurrence	1 .. 1	Occurrence	0 .. 1	Type	shared_common:ColourCodeType	Length	1 .. 80	Type	restriction (xsd:string)	Length	1 .. 80	Use	required	Example	colourCodeListCode
Harmonisierung Fachgruppe BiG																															
	Bereich von Seriennummern																														
GDD URI	urn:gs1:gdd:bie:StringRange.maximumValue																														
Codeliste	-																														
Beispiel	558866																														
Occurrence	0 .. unbounded																														
Type	shared_common:ColourType																														
Occurrence	1 .. 1																														
Occurrence	0 .. 1																														
Type	shared_common:ColourCodeType																														
Length	1 .. 80																														
Type	restriction (xsd:string)																														
Length	1 .. 80																														
Use	required																														
Example	colourCodeListCode																														
 <p><i>colourCodeListCode</i></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="background-color: #e0e0e0;">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>colourCodeListCode</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>A code depicting the colour of an object according to a specific code list. The applied code list is specified as additional information together with the colour code.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Wert aus einer Farbcodeliste</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bd:ColourCode</td> </tr> <tr> <td>Codeliste</td> <td>urn:gs1:gdd:cl:ColourCodeListCode</td> </tr> <tr> <td>Beispiel</td> <td>3</td> </tr> <tr> <td>Type</td> <td>restriction (xsd:string)</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> <tr> <td>Example</td> <td>colourCodeListVersion</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	colourCodeListCode	Status	1..1	Beschr. EDI	A code depicting the colour of an object according to a specific code list. The applied code list is specified as additional information together with the colour code.	Beschr. FG BiG	Wert aus einer Farbcodeliste	GDD URI	urn:gs1:gdd:bd:ColourCode	Codeliste	urn:gs1:gdd:cl:ColourCodeListCode	Beispiel	3	Type	restriction (xsd:string)	Length	1 .. 35	Example	colourCodeListVersion								
Harmonisierung Fachgruppe BiG																															
Name Node	colourCodeListCode																														
Status	1..1																														
Beschr. EDI	A code depicting the colour of an object according to a specific code list. The applied code list is specified as additional information together with the colour code.																														
Beschr. FG BiG	Wert aus einer Farbcodeliste																														
GDD URI	urn:gs1:gdd:bd:ColourCode																														
Codeliste	urn:gs1:gdd:cl:ColourCodeListCode																														
Beispiel	3																														
Type	restriction (xsd:string)																														
Length	1 .. 35																														
Example	colourCodeListVersion																														
 <p><i>colourCodeListVersion</i></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="background-color: #e0e0e0;">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>colourCodeListVersion</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>The version of the ColourCodeListCode code list.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Version der Codeliste "ColourCodeListCode"; Aktuelle Version 3</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bd:ColourCode.colourCodeListVersion</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>3</td> </tr> <tr> <td>Occurrence</td> <td>0 .. unbounded</td> </tr> <tr> <td>Type</td> <td>shared_common:Description80Type</td> </tr> <tr> <td>Length</td> <td>1 .. 80</td> </tr> <tr> <td>Example</td> <td>colourDescription</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	colourCodeListVersion	Status	0..1	Beschr. EDI	The version of the ColourCodeListCode code list.	Beschr. FG BiG	Version der Codeliste "ColourCodeListCode"; Aktuelle Version 3	GDD URI	urn:gs1:gdd:bd:ColourCode.colourCodeListVersion	Codeliste	-	Beispiel	3	Occurrence	0 .. unbounded	Type	shared_common:Description80Type	Length	1 .. 80	Example	colourDescription						
Harmonisierung Fachgruppe BiG																															
Name Node	colourCodeListVersion																														
Status	0..1																														
Beschr. EDI	The version of the ColourCodeListCode code list.																														
Beschr. FG BiG	Version der Codeliste "ColourCodeListCode"; Aktuelle Version 3																														
GDD URI	urn:gs1:gdd:bd:ColourCode.colourCodeListVersion																														
Codeliste	-																														
Beispiel	3																														
Occurrence	0 .. unbounded																														
Type	shared_common:Description80Type																														
Length	1 .. 80																														
Example	colourDescription																														
 <p>colourDescription</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="background-color: #e0e0e0;">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>colourDescription</td> </tr> <tr> <td>Status</td> <td>0..n</td> </tr> <tr> <td>Beschr. EDI</td> <td>A description of a colour of an object</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Farbe eines Objektes</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:Colour.colourDescription</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>blau</td> </tr> <tr> <td>Type</td> <td>restriction (xsd:string)</td> </tr> <tr> <td>Length</td> <td>1 .. 80</td> </tr> <tr> <td>Use</td> <td>required</td> </tr> <tr> <td>Example</td> <td>languageCode</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	colourDescription	Status	0..n	Beschr. EDI	A description of a colour of an object	Beschr. FG BiG	Farbe eines Objektes	GDD URI	urn:gs1:gdd:bie:Colour.colourDescription	Codeliste	-	Beispiel	blau	Type	restriction (xsd:string)	Length	1 .. 80	Use	required	Example	languageCode						
Harmonisierung Fachgruppe BiG																															
Name Node	colourDescription																														
Status	0..n																														
Beschr. EDI	A description of a colour of an object																														
Beschr. FG BiG	Farbe eines Objektes																														
GDD URI	urn:gs1:gdd:bie:Colour.colourDescription																														
Codeliste	-																														
Beispiel	blau																														
Type	restriction (xsd:string)																														
Length	1 .. 80																														
Use	required																														
Example	languageCode																														
 <p><i>languageCode</i></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="background-color: #e0e0e0;">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Type</td> <td>restriction (xsd:string)</td> </tr> <tr> <td>Length</td> <td>1 .. 80</td> </tr> <tr> <td>Use</td> <td>required</td> </tr> <tr> <td>Example</td> <td>languageCode</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Type	restriction (xsd:string)	Length	1 .. 80	Use	required	Example	languageCode																				
Harmonisierung Fachgruppe BiG																															
Type	restriction (xsd:string)																														
Length	1 .. 80																														
Use	required																														
Example	languageCode																														

Element/Attribute	Annotation
-------------------	------------

Harmonisierung Fachgruppe BiG	
Name Node	languageCode
Status	1..1
Beschr. EDI	A code representing the language used in the description.
Beschr. FG BiG	Sprachecode aus der Codeliste "LanguageCode"
GDD URI	urn:gs1:gdd:bdt:Description200.languageCode
Codeliste	urn:gs1:gdd:cl:LanguageCode
Beispiel	DE

codeListVersion	Type restriction (xsd:string) Length 1 .. 35 Example codeListVersion
------------------------	---

Harmonisierung Fachgruppe BiG	
Name Node	codeListVersion
Status	0..1
Beschr. EDI	The snapshot of the code list at a certain point in time.
Beschr. FG BiG	Version der ISO 639-1 Liste; Aktuelle Version 2002
GDD URI	urn:gs1:gdd:bdt:Description200.codeListVersion
Codeliste	-
Beispiel	2002

size	Occurrence 0 .. unbounded Type shared_common:SizeType
xsd:sequence	Occurrence 1 .. 1
descriptiveSize	Occurrence 0 .. 1 Type shared_common:Description80Type Length 1 .. 80 Example descriptiveSize

Harmonisierung Fachgruppe BiG	
Name Node	descriptiveSize
Status	0..1
Beschr. EDI	A description of the size of an object
Beschr. FG BiG	Beschreibende Grösse eines Objektes
GDD URI	urn:gs1:gdd:bie:Size.descriptiveSize
Codeliste	-
Beispiel	medium

languageCode	Type restriction (xsd:string) Length 1 .. 80 Use required Example languageCode
---------------------	---

Harmonisierung Fachgruppe BiG	
Name Node	languageCode
Status	1..1
Beschr. EDI	A code representing the language used in the description.
Beschr. FG BiG	Sprachecode aus der Codeliste "LanguageCode"
GDD URI	urn:gs1:gdd:bdt:Description200.languageCode
Codeliste	urn:gs1:gdd:cl:LanguageCode
Beispiel	DE

codeListVersion	Type restriction (xsd:string) Length 1 .. 35 Example codeListVersion
------------------------	---

Element/Attribute	Annotation
-------------------	------------

Harmonisierung Fachgruppe BiG	
Name Node	codeListVersion
Status	0..1
Beschr. EDI	The snapshot of the code list at a certain point in time.
Beschr. FG BiG	Version der ISO 639-1 Liste; Aktuelle Version 2002
GDD URI	urn:gs1:gdd:bdt:Description200.codeListVersion
Codeliste	-
Beispiel	2002



Occurrence	0 .. 1
Type	shared_common:SizeCodeType
Length	1 .. 80
Type	restriction (xsd:string)
Length	1 .. 80
Use	required
Example	sizeCodeListCode

Harmonisierung Fachgruppe BiG	
Name Node	sizeCodeListCode
Status	1..1
Beschr. EDI	Code specifying a size code list. Allowed code values are specified in GS1 Code List SizeCodeListCode
Beschr. FG BiG	Grössencode aus einer Codeliste
GDD URI	urn:gs1:gdd:bdt:SizeCode.sizeCodeListCode
Beispiel	42



Type	restriction (xsd:string)
Length	1 .. 80
Example	sizeCodeListDescription

Harmonisierung Fachgruppe BiG	
Name Node	sizeCodeListDescription
Status	0..1
Beschr. EDI	A description of the size code list used to populate the size code for example National Retail Federation – Standard Colour & Size Codes
Beschr. FG BiG	Beschreibung der Grösstabelle
GDD URI	urn:gs1:gdd:bdt:SizeCode.sizeCodeListDescription
Codeliste	-
Beispiel	Schuhgrößen Europa



Type	restriction (xsd:string)
Length	1 .. 35
Example	codeListVersion

Harmonisierung Fachgruppe BiG	
Name Node	codeListVersion
Status	0..1
Beschr. EDI	The version of the applied size code list.
Beschr. FG BiG	Version der Codeliste
GDD URI	urn:gs1:gdd:bdt:SizeCode.codeListVersion
Codeliste	-
Beispiel	2



Type	restriction (xsd:string)
Length	1 .. 35
Example	sizeCodeListVersion

Element/Attribute	Annotation																														
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>sizeCodeListVersion</td> </tr> <tr> <td>Status</td> <td>0..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>The version of the SizeCodeListCode code list.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Version der Grösstabelle</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bd:SizeCode.sizeCodeListVersion</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>2</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	sizeCodeListVersion	Status	0..1	Beschr. EDI	The version of the SizeCodeListCode code list.	Beschr. FG BiG	Version der Grösstabelle	GDD URI	urn:gs1:gdd:bd:SizeCode.sizeCodeListVersion	Codeliste	-	Beispiel	2														
Harmonisierung Fachgruppe BiG																															
Name Node	sizeCodeListVersion																														
Status	0..1																														
Beschr. EDI	The version of the SizeCodeListCode code list.																														
Beschr. FG BiG	Version der Grösstabelle																														
GDD URI	urn:gs1:gdd:bd:SizeCode.sizeCodeListVersion																														
Codeliste	-																														
Beispiel	2																														
<table border="1"> <tbody> <tr> <td>deliveryNote</td> <td>Occurrence 0 .. 1</td> </tr> <tr> <td><i>xsd:sequence</i></td> <td>Type shared_common:DocumentReferenceType</td> </tr> <tr> <td>entityIdentification</td> <td>Occurrence 1 .. 1</td> </tr> <tr> <td></td> <td>Occurrence 1 .. 1</td> </tr> <tr> <td></td> <td>Type restriction (xsd:string)</td> </tr> <tr> <td></td> <td>Length 1 .. 80</td> </tr> <tr> <td></td> <td>Example entityIdentification</td> </tr> </tbody> </table>	deliveryNote	Occurrence 0 .. 1	<i>xsd:sequence</i>	Type shared_common:DocumentReferenceType	entityIdentification	Occurrence 1 .. 1		Occurrence 1 .. 1		Type restriction (xsd:string)		Length 1 .. 80		Example entityIdentification	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>entityIdentification</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Identification of the referenced business document.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Nummer des Lieferscheines aus ERP des Sellers.</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:DocumentReference.. EntityIdentification</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>6100000065411</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	entityIdentification	Status	1..1	Beschr. EDI	Identification of the referenced business document.	Beschr. FG BiG	Nummer des Lieferscheines aus ERP des Sellers.	GDD URI	urn:gs1:gdd:bie:DocumentReference.. EntityIdentification	Codeliste	-	Beispiel	6100000065411
deliveryNote	Occurrence 0 .. 1																														
<i>xsd:sequence</i>	Type shared_common:DocumentReferenceType																														
entityIdentification	Occurrence 1 .. 1																														
	Occurrence 1 .. 1																														
	Type restriction (xsd:string)																														
	Length 1 .. 80																														
	Example entityIdentification																														
Harmonisierung Fachgruppe BiG																															
Name Node	entityIdentification																														
Status	1..1																														
Beschr. EDI	Identification of the referenced business document.																														
Beschr. FG BiG	Nummer des Lieferscheines aus ERP des Sellers.																														
GDD URI	urn:gs1:gdd:bie:DocumentReference.. EntityIdentification																														
Codeliste	-																														
Beispiel	6100000065411																														
<table border="1"> <tbody> <tr> <td>contentOwner</td> <td>Occurrence 0 .. 1</td> </tr> <tr> <td><i>xsd:sequence</i></td> <td>Type shared_common:PartyIdentificationType</td> </tr> <tr> <td>gln</td> <td>Occurrence 1 .. 1</td> </tr> <tr> <td></td> <td>Occurrence 1 .. 1</td> </tr> <tr> <td></td> <td>Type shared_common:GLNType</td> </tr> <tr> <td></td> <td>Pattern \d{13}</td> </tr> <tr> <td></td> <td>Example gln</td> </tr> </tbody> </table>	contentOwner	Occurrence 0 .. 1	<i>xsd:sequence</i>	Type shared_common:PartyIdentificationType	gln	Occurrence 1 .. 1		Occurrence 1 .. 1		Type shared_common:GLNType		Pattern \d{13}		Example gln	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>gln</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Global Location Number (GLN), the GS1 key used for the identification of parties and locations.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>GLN des Ausstellers des Lieferscheines</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:PartyIdentification.gln</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>7612345670010</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	gln	Status	1..1	Beschr. EDI	Global Location Number (GLN), the GS1 key used for the identification of parties and locations.	Beschr. FG BiG	GLN des Ausstellers des Lieferscheines	GDD URI	urn:gs1:gdd:bie:PartyIdentification.gln	Codeliste	-	Beispiel	7612345670010
contentOwner	Occurrence 0 .. 1																														
<i>xsd:sequence</i>	Type shared_common:PartyIdentificationType																														
gln	Occurrence 1 .. 1																														
	Occurrence 1 .. 1																														
	Type shared_common:GLNType																														
	Pattern \d{13}																														
	Example gln																														
Harmonisierung Fachgruppe BiG																															
Name Node	gln																														
Status	1..1																														
Beschr. EDI	Global Location Number (GLN), the GS1 key used for the identification of parties and locations.																														
Beschr. FG BiG	GLN des Ausstellers des Lieferscheines																														
GDD URI	urn:gs1:gdd:bie:PartyIdentification.gln																														
Codeliste	-																														
Beispiel	7612345670010																														
<table border="1"> <tbody> <tr> <td><i>xsd:sequence</i></td> <td>Occurrence 1 .. 1</td> </tr> <tr> <td>creationDateTime</td> <td>Occurrence 0 .. 1</td> </tr> <tr> <td></td> <td>Type xsd:dateTime</td> </tr> <tr> <td></td> <td>Example creationDateTime</td> </tr> </tbody> </table>	<i>xsd:sequence</i>	Occurrence 1 .. 1	creationDateTime	Occurrence 0 .. 1		Type xsd:dateTime		Example creationDateTime	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>creationDateTime</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Date and time when the document was created.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Erstellungsdatum und Zeit</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:Document.creationDateTime</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>2012-06-15T11:00:00.000</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	creationDateTime	Status	1..1	Beschr. EDI	Date and time when the document was created.	Beschr. FG BiG	Erstellungsdatum und Zeit	GDD URI	urn:gs1:gdd:bie:Document.creationDateTime	Codeliste	-	Beispiel	2012-06-15T11:00:00.000						
<i>xsd:sequence</i>	Occurrence 1 .. 1																														
creationDateTime	Occurrence 0 .. 1																														
	Type xsd:dateTime																														
	Example creationDateTime																														
Harmonisierung Fachgruppe BiG																															
Name Node	creationDateTime																														
Status	1..1																														
Beschr. EDI	Date and time when the document was created.																														
Beschr. FG BiG	Erstellungsdatum und Zeit																														
GDD URI	urn:gs1:gdd:bie:Document.creationDateTime																														
Codeliste	-																														
Beispiel	2012-06-15T11:00:00.000																														

Element/Attribute	Annotation																
lineltemNumber	<p>Occurrence 0 .. 1 Type xsd:positiveInteger FractionDigits 0 Inclusive 1 .. Example lineltemNumber</p> <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>lineltemNumber</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Provides the line number associated to the Delivery Note Line Item.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Lieferscheinzeilen Nummer</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:OrderResponseLineItem.lineltemNumber</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>1</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	lineltemNumber	Status	1..1	Beschr. EDI	Provides the line number associated to the Delivery Note Line Item.	Beschr. FG BiG	Lieferscheinzeilen Nummer	GDD URI	urn:gs1:gdd:bie:OrderResponseLineItem.lineltemNumber	Codeliste	-	Beispiel	1
Harmonisierung Fachgruppe BiG																	
Name Node	lineltemNumber																
Status	1..1																
Beschr. EDI	Provides the line number associated to the Delivery Note Line Item.																
Beschr. FG BiG	Lieferscheinzeilen Nummer																
GDD URI	urn:gs1:gdd:bie:OrderResponseLineItem.lineltemNumber																
Codeliste	-																
Beispiel	1																
contract	<p>Occurrence 0 .. 1 Type shared_common:DocumentReferenceType</p>																
<i>xsd:sequence</i>	<p>Occurrence 1 .. 1</p>																
entityIdentification	<p>Occurrence 1 .. 1 Type restriction (xsd:string) Length 1 .. 80 Example entityIdentification</p> <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>entityIdentification</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Identification of the referenced business document.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Nummer des Vertrages</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:DocumentReference..EntityIdentification</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>8100000065611</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	entityIdentification	Status	1..1	Beschr. EDI	Identification of the referenced business document.	Beschr. FG BiG	Nummer des Vertrages	GDD URI	urn:gs1:gdd:bie:DocumentReference..EntityIdentification	Codeliste	-	Beispiel	8100000065611
Harmonisierung Fachgruppe BiG																	
Name Node	entityIdentification																
Status	1..1																
Beschr. EDI	Identification of the referenced business document.																
Beschr. FG BiG	Nummer des Vertrages																
GDD URI	urn:gs1:gdd:bie:DocumentReference..EntityIdentification																
Codeliste	-																
Beispiel	8100000065611																
contentOwner	<p>Occurrence 0 .. 1 Type shared_common:PartyIdentificationType</p>																
<i>xsd:sequence</i>	<p>Occurrence 1 .. 1</p>																
gln	<p>Occurrence 1 .. 1 Type shared_common:GLNType Pattern \d{13} Example gln</p> <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>gln</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Global Location Number (GLN), the GS1 key used for the identification of parties and locations.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>GLN des Ausstellers des Vertrages</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:PartyIdentification.gln</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>7612345670010</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	gln	Status	1..1	Beschr. EDI	Global Location Number (GLN), the GS1 key used for the identification of parties and locations.	Beschr. FG BiG	GLN des Ausstellers des Vertrages	GDD URI	urn:gs1:gdd:bie:PartyIdentification.gln	Codeliste	-	Beispiel	7612345670010
Harmonisierung Fachgruppe BiG																	
Name Node	gln																
Status	1..1																
Beschr. EDI	Global Location Number (GLN), the GS1 key used for the identification of parties and locations.																
Beschr. FG BiG	GLN des Ausstellers des Vertrages																
GDD URI	urn:gs1:gdd:bie:PartyIdentification.gln																
Codeliste	-																
Beispiel	7612345670010																
<i>xsd:sequence</i>	<p>Occurrence 1 .. 1</p>																
creationDateTime	<p>Occurrence 0 .. 1 Type xsd:dateTime Example creationDateTime</p> <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>creationDateTime</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	creationDateTime	Status	1..1										
Harmonisierung Fachgruppe BiG																	
Name Node	creationDateTime																
Status	1..1																

Element/Attribute	Annotation																
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Beschr. EDI</td> <td>Date and time when the document was created.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Erestellungsdatum und Zeit</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:Document.creationDateTime</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>2012-06-15T11:00:00.000</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Beschr. EDI	Date and time when the document was created.	Beschr. FG BiG	Erestellungsdatum und Zeit	GDD URI	urn:gs1:gdd:bie:Document.creationDateTime	Codeliste	-	Beispiel	2012-06-15T11:00:00.000				
Harmonisierung Fachgruppe BiG																	
Beschr. EDI	Date and time when the document was created.																
Beschr. FG BiG	Erestellungsdatum und Zeit																
GDD URI	urn:gs1:gdd:bie:Document.creationDateTime																
Codeliste	-																
Beispiel	2012-06-15T11:00:00.000																
lineltemNumber	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>xsd:positiveInteger</td> </tr> <tr> <td>FractionDigits</td> <td>0</td> </tr> <tr> <td>Inclusive</td> <td>1 ..</td> </tr> <tr> <td>Example</td> <td>lineltemNumber</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	xsd:positiveInteger	FractionDigits	0	Inclusive	1 ..	Example	lineltemNumber						
Occurrence	0 .. 1																
Type	xsd:positiveInteger																
FractionDigits	0																
Inclusive	1 ..																
Example	lineltemNumber																
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>lineltemNumber</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Provides the line number associated to the Delivery Note Line Item.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Vertragszeile Nummer</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:OrderResponseLineItem.lineltemNumber</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>1</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	lineltemNumber	Status	1..1	Beschr. EDI	Provides the line number associated to the Delivery Note Line Item.	Beschr. FG BiG	Vertragszeile Nummer	GDD URI	urn:gs1:gdd:bie:OrderResponseLineItem.lineltemNumber	Codeliste	-	Beispiel	1
Harmonisierung Fachgruppe BiG																	
Name Node	lineltemNumber																
Status	1..1																
Beschr. EDI	Provides the line number associated to the Delivery Note Line Item.																
Beschr. FG BiG	Vertragszeile Nummer																
GDD URI	urn:gs1:gdd:bie:OrderResponseLineItem.lineltemNumber																
Codeliste	-																
Beispiel	1																
purchaseOrder	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>shared_common:DocumentReferenceType</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	shared_common:DocumentReferenceType												
Occurrence	0 .. 1																
Type	shared_common:DocumentReferenceType																
xsd:sequence	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>1 .. 1</td> </tr> </tbody> </table>	Occurrence	1 .. 1														
Occurrence	1 .. 1																
entityIdentification	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>1 .. 1</td> </tr> <tr> <td>Type</td> <td>restriction (xsd:string)</td> </tr> <tr> <td>Length</td> <td>1 .. 80</td> </tr> <tr> <td>Example</td> <td>entityIdentification</td> </tr> </tbody> </table>	Occurrence	1 .. 1	Type	restriction (xsd:string)	Length	1 .. 80	Example	entityIdentification								
Occurrence	1 .. 1																
Type	restriction (xsd:string)																
Length	1 .. 80																
Example	entityIdentification																
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>entityIdentification</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Identification of the referenced business document.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Nummer der Bestellung</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:DocumentReference..EntityIdentification</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>4500000065611</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	entityIdentification	Status	1..1	Beschr. EDI	Identification of the referenced business document.	Beschr. FG BiG	Nummer der Bestellung	GDD URI	urn:gs1:gdd:bie:DocumentReference..EntityIdentification	Codeliste	-	Beispiel	4500000065611
Harmonisierung Fachgruppe BiG																	
Name Node	entityIdentification																
Status	1..1																
Beschr. EDI	Identification of the referenced business document.																
Beschr. FG BiG	Nummer der Bestellung																
GDD URI	urn:gs1:gdd:bie:DocumentReference..EntityIdentification																
Codeliste	-																
Beispiel	4500000065611																
contentOwner	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>shared_common:PartyIdentificationType</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	shared_common:PartyIdentificationType												
Occurrence	0 .. 1																
Type	shared_common:PartyIdentificationType																
xsd:sequence	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>1 .. 1</td> </tr> </tbody> </table>	Occurrence	1 .. 1														
Occurrence	1 .. 1																
gln	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>1 .. 1</td> </tr> <tr> <td>Type</td> <td>shared_common:GLNType</td> </tr> <tr> <td>Pattern</td> <td>\d{13}</td> </tr> <tr> <td>Example</td> <td>gln</td> </tr> </tbody> </table>	Occurrence	1 .. 1	Type	shared_common:GLNType	Pattern	\d{13}	Example	gln								
Occurrence	1 .. 1																
Type	shared_common:GLNType																
Pattern	\d{13}																
Example	gln																
	<table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>gln</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Global Location Number (GLN), the GS1 key used for the identification of parties and locations.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>GLN des Bestellers</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:PartyIdentification.gln</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>7612345670010</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	gln	Status	1..1	Beschr. EDI	Global Location Number (GLN), the GS1 key used for the identification of parties and locations.	Beschr. FG BiG	GLN des Bestellers	GDD URI	urn:gs1:gdd:bie:PartyIdentification.gln	Codeliste	-	Beispiel	7612345670010
Harmonisierung Fachgruppe BiG																	
Name Node	gln																
Status	1..1																
Beschr. EDI	Global Location Number (GLN), the GS1 key used for the identification of parties and locations.																
Beschr. FG BiG	GLN des Bestellers																
GDD URI	urn:gs1:gdd:bie:PartyIdentification.gln																
Codeliste	-																
Beispiel	7612345670010																

Element/Attribute	Annotation																
L <i>xsd:sequence</i> creationDateTime	Occurrence 1 .. 1 Occurrence 0 .. 1 Type xsd:dateTime Example creationDateTime <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>creationDateTime</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Date and time when the document was created.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Erestellungsdatum und Zeit</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:Document.creationDateTime</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>2012-06-15T11:00:00.000</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	creationDateTime	Status	1..1	Beschr. EDI	Date and time when the document was created.	Beschr. FG BiG	Erestellungsdatum und Zeit	GDD URI	urn:gs1:gdd:bie:Document.creationDateTime	Codeliste	-	Beispiel	2012-06-15T11:00:00.000
Harmonisierung Fachgruppe BiG																	
Name Node	creationDateTime																
Status	1..1																
Beschr. EDI	Date and time when the document was created.																
Beschr. FG BiG	Erestellungsdatum und Zeit																
GDD URI	urn:gs1:gdd:bie:Document.creationDateTime																
Codeliste	-																
Beispiel	2012-06-15T11:00:00.000																
L lineltemNumber	Occurrence 0 .. 1 Type xsd:positiveInteger FractionDigits 0 Inclusive 1 .. Example lineltemNumber <table border="1"> <thead> <tr> <th colspan="2">Harmonisierung Fachgruppe BiG</th> </tr> </thead> <tbody> <tr> <td>Name Node</td> <td>lineltemNumber</td> </tr> <tr> <td>Status</td> <td>1..1</td> </tr> <tr> <td>Beschr. EDI</td> <td>Provides the line number associated to the Delivery Note Line Item.</td> </tr> <tr> <td>Beschr. FG BiG</td> <td>Vertragszeile Nummer</td> </tr> <tr> <td>GDD URI</td> <td>urn:gs1:gdd:bie:OrderResponseLineItem. lineltemNumber</td> </tr> <tr> <td>Codeliste</td> <td>-</td> </tr> <tr> <td>Beispiel</td> <td>1</td> </tr> </tbody> </table>	Harmonisierung Fachgruppe BiG		Name Node	lineltemNumber	Status	1..1	Beschr. EDI	Provides the line number associated to the Delivery Note Line Item.	Beschr. FG BiG	Vertragszeile Nummer	GDD URI	urn:gs1:gdd:bie:OrderResponseLineItem. lineltemNumber	Codeliste	-	Beispiel	1
Harmonisierung Fachgruppe BiG																	
Name Node	lineltemNumber																
Status	1..1																
Beschr. EDI	Provides the line number associated to the Delivery Note Line Item.																
Beschr. FG BiG	Vertragszeile Nummer																
GDD URI	urn:gs1:gdd:bie:OrderResponseLineItem. lineltemNumber																
Codeliste	-																
Beispiel	1																

GS1 Switzerland – The Global Language of Business

Global Standards provide more efficiency in value networks. GS1 Switzerland supports companies in optimizing their flows of goods, information and values and provides practical knowledge. Together with our members, we develop standards and process recommendations and create benefits for all parties involved. GS1 Switzerland is a neutral association based in Bern and part of the not-for-profit organization GS1, which is active in 140 countries.

GS1 Switzerland

Monbijoustrasse 68
CH-3007 Bern
T +41 58 800 70 00

www.gs1.ch

